

**GAMME MONOPENTE****ABRIS DE +20 M2 PROFIL P. SIGMA 170/1.5**

| DIM L x P | REF(S) | Largeur Pignon P | Hauteur Mini S | Hauteur Maxi F | Passage utile au plus bas | Passage utile au plus haut | % Pente |
|----------------------|---------------|---------------------------------|-------------------------------|-------------------------------|--|---|----------------|
| 4 x 5,36 | MP4536 | 5360 | 2145 | 2700 | 1960 | 2500 | 10,00% |
| 5 x 5,36 | MP5536 | 5360 | 2145 | 2700 | 1960 | 2500 | 10,00% |
| 6 x 5,36 | MP6536 | 5360 | 2145 | 2700 | 1960 | 2500 | 10,00% |
| 8 x 5,36 | MP8536 | 5360 | 2145 | 2700 | 1960 | 2500 | 10,00% |
| 10 x 5,36 | MP10536 | 5360 | 2145 | 2700 | 1960 | 2500 | 10,00% |
| 12 x 5,36 | MP12536 | 5360 | 2145 | 2700 | 1960 | 2500 | 10,00% |
| 15 x 5,36 | MP15536 | 5360 | 2145 | 2700 | 1960 | 2500 | 10,00% |
| 18 x 5,36 | MP18536 | 5360 | 2145 | 2700 | 1960 | 2500 | 10,00% |
| 20 x 5,36 | MP20536 | 5360 | 2145 | 2700 | 1960 | 2500 | 10,00% |
| 24 x 5,36 | MP24536 | 5360 | 2145 | 2700 | 1960 | 2500 | 10,00% |
| 25 x 5,36 | MP25536 | 5360 | 2145 | 2700 | 1900 | 2500 | 10,00% |
| 30 x 5,36 | MP30536 | 5360 | 2145 | 2700 | 1900 | 2500 | 10,00% |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

**GAMME MONOPENTE****ABRIS DE +20 M2 PROFIL P. SIGMA 170/1.5**

| DIM L x P | REF(S) | Largeu r Pignon P | Hauteur Mini S | Hauteur Maxi F | Passage utile au plus bas | Passage utile au plus haut | % Pente |
|----------------------|---------------|--------------------------------------|-------------------------------|-------------------------------|--|---|----------------|
| 4 x 6 | MP46 | 6000 | 2082 | 2700 | 1900 | 2500 | 10,00% |
| 5 x 6 | MP56 | 6000 | 2082 | 2700 | 1900 | 2500 | 10,00% |
| 6 x 6 | MP66 | 6000 | 2082 | 2700 | 1900 | 2500 | 10,00% |
| 8 x 6 | MP86 | 6000 | 2082 | 2700 | 1900 | 2500 | 10,00% |
| 10 x 6 | MP106 | 6000 | 2082 | 2700 | 1900 | 2500 | 10,00% |
| 12 x 6 | MP126 | 6000 | 2082 | 2700 | 1900 | 2500 | 10,00% |
| 15 x 6 | MP156 | 6000 | 2082 | 2700 | 1900 | 2500 | 10,00% |
| 18 x 6 | MP186 | 6000 | 2082 | 2700 | 1900 | 2500 | 10,00% |
| 20 x 6 | MP206 | 6000 | 2082 | 2700 | 1900 | 2500 | 10,00% |
| 24 x 6 | MP246 | 6000 | 2082 | 2700 | 1900 | 2500 | 10,00% |
| 25 x 6 | MP256 | 6000 | 2082 | 2700 | 1900 | 2500 | 10,00% |
| 30 x 6 | MP306 | 6000 | 2082 | 2700 | 1900 | 2500 | 10,00% |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

**GAMME MONOPENTE****ABRIS DE +20 M2 PROFIL P. SIGMA 170/1.5**

| DIM L x P | REF(S) | Largeur Pignon P | Hauteur Mini S | Hauteur Maxi F | Passage utile au plus bas | Passage utile au plus haut | % Pente |
|----------------------|---------------|---------------------------------|-------------------------------|-------------------------------|--|---|----------------|
| 11 x 2 | MP112 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 12 x 2 | MP122 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 13 x 2 | MP132 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 14 x 2 | MP142 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 15 x 2 | MP152 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 16 x 2 | MP162 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 17 x 2 | MP172 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 18 x 2 | MP182 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 19 x 2 | MP192 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 20 x 2 | MP202 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 21 x 2 | MP221 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 22 x 2 | MP222 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 23 x 2 | MP232 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 24 x 2 | MP242 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 25 x 2 | MP252 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 26 x 2 | MP262 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 27 x 2 | MP272 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 28 x 2 | MP282 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 29 x 2 | MP292 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |
| 30 x 2 | MP302 | 2000 | 2145 | 2350 | 1960 | 2153 | 10,00% |

**GAMME MONOPENTE****ABRIS DE +20 M2 PROFIL P. SIGMA 170/1.5**

| DIM L x P | REF(S) | Largeur Pignon P | Hauteur Mini S | Hauteur Maxi F | Passage utile au plus bas | Passage utile au plus haut | % Pente |
|----------------------|---------------|---------------------------------|-------------------------------|-------------------------------|--|---|----------------|
| 7 x 3 | MP73 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 8 x 3 | MP83 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 9 x 3 | MP93 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 10 x 3 | MP103 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 11 x 3 | MP113 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 12 x 3 | MP123 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 13 x 3 | MP133 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 14 x 3 | MP143 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 15 x 3 | MP153 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 16 x 3 | MP163 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 17 x 3 | MP173 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 18 x 3 | MP183 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 19 x 3 | MP193 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 20 x 3 | MP203 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 21 x 3 | MP213 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 22 x 3 | MP223 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 23 x 3 | MP233 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 24 x 3 | MP243 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 25 x 3 | MP253 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 26 x 3 | MP263 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 27 x 3 | MP273 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 28 x 3 | MP283 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 29 x 3 | MP293 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |
| 30 x 3 | MP303 | 3000 | 2145 | 2455 | 1960 | 2257 | 10,00% |

**GAMME MONOPENTE****ABRIS DE +20 M2 PROFIL P. SIGMA 170/1.5**

| DIM L x P | REF(S) | Largeur Pignon P | Hauteur Mini S | Hauteur Maxi F | Passage utile au plus bas | Passage utile au plus haut | % Pente |
|----------------------|---------------|---------------------------------|-------------------------------|-------------------------------|--|---|----------------|
| 6 x 4 | MP64 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 7 x 4 | MP74 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 8 x 4 | MR84 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 9 x 4 | MP94 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 10 x 4 | MP104 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 11 x 4 | MP114 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 12 x 4 | MP124 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 13 x 4 | MP134 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 14 x 4 | MP144 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 15 x 4 | MP154 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 16 x 4 | MP164 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 17 x 4 | MP174 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 18 x 4 | MP184 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 19 x 4 | MP194 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 20 x 4 | MP204 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 21 x 4 | MP214 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 22 x 4 | MP224 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 23 x 4 | MP234 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 24 x 4 | MP244 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 25 x 4 | MP254 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 26 x 4 | MP264 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 27 x 4 | MP274 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 28 x 4 | MP284 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 29 x 4 | MP294 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |
| 30 x 4 | MP304 | 4000 | 2145 | 2557 | 1960 | 2359 | 10,00% |

**GAMME MONOPENTE****ABRIS DE +20 M2 PROFIL P. SIGMA 170/1.5**

| DIM L x P | REF(S) | Largeur Pignon P | Hauteur Mini S | Hauteur Maxi F | Passage utile au plus bas | Passage utile au plus haut | % Pente |
|----------------------|---------------|---------------------------------|-------------------------------|-------------------------------|--|---|----------------|
| 6 x 5 | MP65 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 7 x 5 | MP75 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 8 x 5 | MP85 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 9 x 5 | MP95 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 10 x 5 | MP105 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 11 x 5 | MP115 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 12 x 5 | MP125 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 13 x 5 | MP135 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 14 x 5 | MP145 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 15 x 5 | MP155 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 16 x 5 | MP165 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 17 x 5 | MP175 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 18 x 5 | MP185 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 19 x 5 | MP195 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 20 x 5 | MP205 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 21 x 5 | MP215 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 22 x 5 | MP225 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 23 x 5 | MP235 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 24 x 5 | MP245 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 25 x 5 | MP255 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 26 x 5 | MP265 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 27 x 5 | MP275 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 28 x 5 | MP285 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 29 x 5 | MP295 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |
| 30 x 5 | MP305 | 5000 | 2145 | 2660 | 1960 | 2462 | 10,00% |